

Claims:

1. (previously presented) A specimen collecting and analytical assembly comprising in combination:

- a. a one piece barrel container having an open top and a capillary tube with an open end, with a chamber disposed there between,
  - b. the chamber having a support means at the distal end and a filter membrane at the proximal end, said proximal end being in the shape of a capillary tube wherein the capillary tube is designed to draw a sample up to 2000  $\mu$ l and is volumetrically graduated and internally coated with an agent including a buffer, anticoagulant, detergent, stabilizer or a preservative, and
  - c. wherein the top of the barrel houses a vial containing a suitable reagent therein.
2. (original) The specimen collecting and analytical assembly of claim 1 further comprising an analytical means housed between the support means and the filter membrane.
3. (original) The specimen collecting and analytical assembly of claim 1, wherein the barrel container is made of a material selected from the group consisting glass, quartz, plastic, polypropylene, polyolefin, nylon, polyethylene terephthalate, polyethylene naphthalate polyvinyl chloride or copolymers thereof.
4. (original) The specimen collecting and analytical assembly of claim 1 wherein said capillary tube comprises a diameter of about 0.1 to 5.0 mm, a length of about 5.0 to about 20 mm, and an interior volume of about 1 to about 2000  $\mu$ l.
5. (original) The specimen collecting and analytical assembly of claim 1 further comprising a tip cap sealable fitted to the open capillary end.
6. (original) The specimen collecting and analytical assembly of claim 1, further

comprising a second cap sealably fitted to close the top end of the barrel container.

7. (original) The specimen collecting and analytical assembly of claim 1 wherein said vial has a penetrable foil seal.
8. (original) The specimen collecting and analytical assembly of claim 7 wherein said barrel container includes means to form an air tight seal and said penetrable foil upon receipt of said capillary tube.
9. (original) The specimen collecting and analytical assembly of claim 8, wherein said barrel container has an inwardly extending portion, said inwardly extending portion engageable with an opening in said penetrable foil to form an airtight seal between said barrel container and said vial.
10. (original) The specimen collecting and analytical assembly of claim 2, wherein said support means defines the location of one end of the analytical means housed in the chamber.
11. (previously presented) A specimen collecting assembly kit comprising:
  - a. a lancet;
  - b. a barrel container housing an analytical means, a filter membrane and a support means, and ending as an open capillary tube end suitable for drawing a sample volume up to 2000µl;
  - c. a vial sealed by a penetrable foil placed on top of the barrel container, and
  - d. a first tip cap to sealably fit the end of the open capillary tube end, and a second cap to sealably fit the open top of the barrel when the vial is removed.
12. (original) A plurality of specimen collecting and analytical assemblies according to claim 1, housed in a packaging tray, wherein the assemblies comprise color coded graduated volumetric capillary tubes, color coded tip caps and color coded second caps, all corresponding to the coating applied internally in the capillary tube,

including green for heparin, purple for EDTA, blue for sodium citrate, red for serum, yellow for stabilizer and black for preservative.

13. (original) A method of collecting a specimen of a fluid, said method comprising the steps of:

- a. bringing into contact with a fluid specimen to be tested an open capillary tube end of a barrel container,
- b. drawing said specimen into said capillary tube end to scavenge the desired volume of specimen up to 2000  $\mu$ l,
- c. mixing said fluid specimen with the agent coating the capillary tube; and
- d. sealingly covering the open end of the capillary tube with a tip cap.

14. (original) A method of collecting a specimen of a fluid, said method comprising the steps of:

- a. bringing into contact with a fluid specimen to be tested an open capillary tube end of a barrel container designed to draw up to 2000  $\mu$ l of sample,
- b. drawing said specimen into said capillary tube end to scavenge the desired volume of specimen,
- c. mixing said fluid specimen with the agent coating the capillary tube;
- d. placing said capillary tube end into a vial containing an analytical reagent and forcing said reagent into said open end,
- e. mixing said fluid specimen with said reagent in said capillary tube end;
- f. closing the top open end of the barrel container with a second cap, and
- g. inverting the barrel container to draw said fluid specimen and said reagent through said capillary tube and into said chamber whereby said fluid specimen and said reagent filter through a filter membrane and collect into the chamber of the barrel container, ready to be stored.

15. (previously presented) A method of collecting a specimen of a fluid, said method comprising the steps of:

- a. bringing into contact with a fluid specimen to be tested an open capillary tube end of a barrel container designed to draw up to 2000  $\mu$ l of sample,
- b. drawing said specimen into said capillary tube end to scavenge the desired volume of specimen,
- c. mixing said fluid specimen with the agent coating the capillary tube;
- d. placing said capillary tube end into a vial containing an analytical reagent and forcing said reagent into said open end,
- e. mixing said fluid specimen with said reagent in said capillary tube end;
- f. drawing said fluid specimen and said reagent mixture through said capillary tube end through the filter membrane into said chamber whereby the mixture contacts the analytical testing means, and
- g. observing visually color change on the analytical testing means to record the test result.